

**PRIMO MAXX**

Version 1.1      Revision Date: 09/29/2021      SDS Number: S150323286      This version replaces all previous versions.

**SECTION 1. IDENTIFICATION**

Product name : PRIMO MAXX  
Design code : A11825A  
Product Registration number : 26989  
Other means of identification : No data available

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Canada Inc.  
Address : 140 Research Lane, Research Park  
Guelph ON N1G 4Z3  
Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)  
Telefax : 1-519-823-0504

E-mail address :

Emergency telephone number : 1-800-327-8633 (FAST MED)

**Recommended use of the chemical and restrictions on use**

Recommended use : Plant growth regulator

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Flammable liquids : Category 4  
Eye irritation : Category 2A  
Reproductive toxicity : Category 1B

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H227 Combustible liquid.  
H319 Causes serious eye irritation.  
H360 May damage fertility or the unborn child.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.

**PRIMO MAXX**

Version 1.1      Revision Date: 09/29/2021      SDS Number: S150323286      This version replaces all previous versions.

P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 Store in a well-ventilated place.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
tetrahydro-2-furyl-methanol	tetrahydro-2-furyl-methanol	97-99-4	$\geq 30 - < 60$ *
trinexapac-ethyl	trinexapac-ethyl	95266-40-3	11.3

\* Actual concentration or concentration range is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.

## PRIMO MAXX

Version 1.1	Revision Date: 09/29/2021	SDS Number: S150323286	This version replaces all previous versions.
----------------	------------------------------	---------------------------	--

- |   |   |  |
|---|---|--|
| In case of skin contact                                     | : | Take off all contaminated clothing immediately.<br>Wash off immediately with plenty of water.<br>If skin irritation persists, call a physician.<br>Wash contaminated clothing before re-use. |
| In case of eye contact                                      | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Remove contact lenses.<br>Immediate medical attention is required.                               |
| If swallowed  | : | If swallowed, seek medical advice immediately and show this container or label.<br>Do NOT induce vomiting.   |
| Most important symptoms and effects, both acute and delayed | : | Nonspecific<br>No symptoms known or expected.  |
| Notes to physician  | : | There is no specific antidote available.<br>Treat symptomatically.   |

### SECTION 5. FIREFIGHTING MEASURES

- |   |   |   |
|---|---|---|
| Suitable extinguishing media                  | : | Extinguishing media - small fires<br>Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.<br>Extinguishing media - large fires<br>Alcohol-resistant foam  |
| Unsuitable extinguishing media                | : | Do not use a solid water stream as it may scatter and spread fire.  |
| Specific hazards during fire-fighting         | : | As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).<br>Exposure to decomposition products may be a hazard to health.<br>Flash back possible over considerable distance. |
| Further information                           | : | Do not allow run-off from fire fighting to enter drains or water courses.<br>Cool closed containers exposed to fire with water spray.   |
| Special protective equipment for firefighters | : | Wear full protective clothing and self-contained breathing apparatus.   |

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |   |  |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Refer to protective measures listed in sections 7 and 8.<br>Keep people away from and upwind of spill/leak.<br>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.<br>Remove all sources of ignition.<br>Pay attention to flashback. |
| Environmental precautions   | : | Prevent further leakage or spillage if safe to do so.<br>Do not flush into surface water or sanitary sewer system.<br>If the product contaminates rivers and lakes or drains inform respective authorities.  |
| Methods and materials for   | : | Contain spillage, and then collect with non-combustible ab-  |

**PRIMO MAXX**

Version 1.1      Revision Date: 09/29/2021      SDS Number: S150323286      This version replaces all previous versions.

containment and cleaning up      sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

**SECTION 7. HANDLING AND STORAGE**

Advice on safe handling      :    Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Use only in an area containing flame proof equipment.  
Take precautionary measures against static discharges.  
For personal protection see section 8.

Conditions for safe storage      :    Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from combustible material.  
Keep in an area equipped with sprinklers.  
Keep away from food, drink and animal feedingstuffs.  
No smoking.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
trinexapac-ethyl	95266-40-3	TWA	5 mg/m3	Syngenta

**Engineering measures**      :    THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

**Personal protective equipment**

Respiratory protection      :    No personal respiratory protective equipment normally required.

**PRIMO MAXX**Version  
1.1Revision Date:  
09/29/2021SDS Number:  
S150323286

This version replaces all previous versions.

Hand protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Remarks	: Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	: Tightly fitting safety goggles Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Skin and body protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Remove and wash contaminated clothing before re-use. Wear as appropriate: Impervious clothing
Protective measures	: The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: liquid
Colour	: orange to red
Odour	: odourless
Odour Threshold	: No data available
pH	: 2 - 6 Concentration: 1 % w/v
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 82 °C Method: Pensky-Martens closed cup

**PRIMO MAXX**

Version 1.1	Revision Date: 09/29/2021	SDS Number: S150323286	This version replaces all previous versions.
----------------	------------------------------	---------------------------	--

Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.07 g/cm <sup>3</sup> (20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	265 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	48.7 mPa.s ( 20 °C) 23.5 mPa.s ( 40 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Surface tension	:	38.6 mN/m, 20 °C
Particle size	:	No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

**PRIMO MAXX**Version  
1.1Revision Date:  
09/29/2021SDS Number:  
S150323286

This version replaces all previous versions.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,050 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.57 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,020 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Components:****trinexapac-ethyl:**

Acute oral toxicity : LD50 (Rat, male and female): 4,460 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.69 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : No skin irritation

**Components:****trinexapac-ethyl:**

Species : Rabbit  
Result : No skin irritation

**PRIMO MAXX**

Version 1.1	Revision Date: 09/29/2021	SDS Number: S150323286	This version replaces all previous versions.
----------------	------------------------------	---------------------------	--

**Serious eye damage/eye irritation****Product:**

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

**Components:****tetrahydro-2-furyl-methanol:**

Result	: Eye irritation
--------	------------------

**trinexapac-ethyl:**

Species	: Rabbit
Result	: No eye irritation

**Respiratory or skin sensitisation****Product:**

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Did not cause sensitisation on laboratory animals.

**Components:****trinexapac-ethyl:**

Test Type	: mouse lymphoma cells
Species	: Mouse
Result	: Did not cause sensitisation on laboratory animals.

**Germ cell mutagenicity****Components:****trinexapac-ethyl:**

Germ cell mutagenicity - Assessment	: Animal testing did not show any mutagenic effects.
-------------------------------------	--

**Carcinogenicity****Components:****trinexapac-ethyl:**

Carcinogenicity - Assessment	: No evidence of carcinogenicity in animal studies.
------------------------------	---

**Reproductive toxicity****Components:****tetrahydro-2-furyl-methanol:**

Reproductive toxicity - Assessment	: Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on
------------------------------------	---



**PRIMO MAXX**

Version 1.1	Revision Date: 09/29/2021	SDS Number: S150323286	This version replaces all previous versions.
----------------	------------------------------	---------------------------	--

sexual function and fertility, based on animal experiments.

**trinexapac-ethyl:**

Reproductive toxicity - Assessment : No toxicity to reproduction

**Repeated dose toxicity****Components:****trinexapac-ethyl:**

Remarks : No adverse effect has been observed in chronic toxicity tests.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 125 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 118 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Anabaena flos-aquae (cyanobacterium)): > 120 mg/l  
Exposure time: 96 h

NOEC (Anabaena flos-aquae (cyanobacterium)): 120 mg/l  
End point: Growth rate  
Exposure time: 96 h

NOEC (Lemna gibba G3 (gibbous duckweed)): 6.25 mg/l  
End point: Frond growth  
Exposure time: 7 d

ErC50 (Lemna gibba G3 (gibbous duckweed)): > 100 mg/l  
End point: Frond growth  
Exposure time: 7 d

**Components:****trinexapac-ethyl:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 68 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Americamysis): 6.5 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 24.5 mg/l  
Exposure time: 96 h

**PRIMO MAXX**

Version 1.1	Revision Date: 09/29/2021	SDS Number: S150323286	This version replaces all previous versions.
----------------	------------------------------	---------------------------	--

ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 1.2 mg/l  
Exposure time: 14 d

EC10 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.011 mg/l  
Exposure time: 14 d

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.41 mg/l  
Exposure time: 35 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2.4 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

**Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Persistence and degradability****Components:****trinexapac-ethyl:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 3.9 - 5.5 d  
Remarks: Product is not persistent.

**Bioaccumulative potential****Components:****trinexapac-ethyl:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -2.1 (25 °C)  
log Pow: -0.29 (25 °C)  
log Pow: 1.5 (25 °C)

**Mobility in soil****Components:****trinexapac-ethyl:**

**PRIMO MAXX**

Version 1.1	Revision Date: 09/29/2021	SDS Number: S150323286	This version replaces all previous versions.
----------------	------------------------------	---------------------------	--

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: < 0.2 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

**Other adverse effects****Components:****trinexapac-ethyl:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Refer to the product label for specific disposal/recycling information  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Refer to the product label for specific disposal/recycling information  
Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL)
Class	: 9
Packing group	: III
Labels	: 9

**IATA-DGR**

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (TRINEXAPAC-ETHYL)
Class	: 9

**PRIMO MAXX**

Version 1.1	Revision Date: 09/29/2021	SDS Number: S150323286	This version replaces all previous versions.
----------------	------------------------------	---------------------------	--

Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

**IMDG-Code**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****TDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(TRINEXAPAC-ETHYL)
Remarks	: Class 9 Exemption from Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, if transported solely on land by road vehicle or railway vehicle. 1.45.1. SOR/2008-34

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION**

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

**PRIMO MAXX**

Version 1.1	Revision Date: 09/29/2021	SDS Number: S150323286	This version replaces all previous versions.
----------------	------------------------------	---------------------------	--

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

Warning

Eye irritant

**The components of this product are reported in the following inventories:**

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.  
trinexapac-ethyl

**Canadian lists**

No substances are subject to a Significant New Activity Notification.

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 09/29/2021

**PRIMO MAXX**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.1	09/29/2021	S150323286	

---

Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN